


# CP- QAC-DY65MVFL2

High Resolution VF IR Dome Camera with TranX - 20Mtr.



## Main Features

- 1/3" Sony Super HAD II
- 650TVL High Resolution
- 0.01 lux Min. Illumination
- 4-9 mm Lens
- IR Range of 20Mtr. with 22 IR LEDs
- TranX, AGC, AWB and BLC
- CE, FCC and RoHS Certified



# CP- QAC-DY65MVFL2

## High Resolution VF IR Dome Camera with TranX - 20Mtr.

Feature	Specification
Image Sensor	1/3" Sony Super HAD II
Pixels	PAL:752(H)×582(V), NTSC:768(H)×494(V)
Resolution	650 TVL
Min. Illumination	0.01 lux
S/N Ratio	more than 50dB
Electronic Shutter	1/60-1/100,000sec
Flickerless Mode	Electrical
Iris Control	Manual
Lens	4-9 mm Lens
Gamma Correction	0.45
White Balance (AWB)	Auto
Gain Control (AGC)	Auto
Back Light Compensation	Auto
IR	IR Range of 20Mtr. with 22 IR LEDs
Video Output	1.0Vp-P75Ωbn
Special Functions	TranX
Power Supply	DC12V
Power Consumption	DC12V,250mA
Dimensions	167mm x 72mm x 60mm
Weight	300g
Operating Temperature	-10~ +50°C RH95% Max
Certifications	CE, FCC, RoHs